

Notice of Allowability	Application No.	Applicant(s)
	10/822,780	BISWAS ET AL.
	Examiner	Art Unit
	Jason Y. Pahng	3725
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to <u>4/3/2007</u> .		
2. The allowed claim(s) is/are 6,7 and 9.		
 3. Acknowledgment is made of a claim for foreign priority unas All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which giv		
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the sheet (s) should be labeled as such in the state of the sheet (s) should be labeled as such in the state of the state	son's Patent Drawing Review (PTO s Amendment / Comment or in the (I.84(c)) should be written on the drawi	Office action of ngs in the front (not the back) of
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	•	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amend	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	9.	ent of Reasons for Allowance RRIS H. BANKS
·	SUPERVIS	ORY PATENT EXAMINER

Art Unit: 3725

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with the attorney of record, Catherine M. Voorhees, on April 23, 2007.

The application has been amended as follows:

Claims 1-4 have been cancelled.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record discloses a bowl mill for a coal pulverizer with an air mill for primary entry of air comprising a bowl-like grinding table mounted on a shaft; a plurality of cooperating grinding rolls; a multiple entry annular openings; and the multiple entry annular openings. However, the prior art of record does not disclose or render obvious all of the details of the limitations of independent claim and, in particular, a bowl mill for a coal pulverizer with an air mill for primary entry of air wherein the air mill with an outer wall is disposed under the bowl-like grinding table, and further comprises an inlet which is bifurcated with a partition allowing half of a primary air entering inlet to enter the air mill through a first opening and the other half of the primary air entering

Art Unit: 3725

inlet to enter a duct leading to a second opening whereby partition splits entry of the primary air into the air mill into two streams of air.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Y. Pahng whose telephone number is 571 272 4522. The examiner can normally be reached on 9:30 AM - 8:00 PM, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Banks H. Derris can be reached on 571 272 4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JYP

SUPERVISOF EXAMINE
TECHNOLOGY AND ARCHITECTURE

TECHNOLOGY AND ARCHITECTUR